Critical Pediatric Airway Cases

Kris Deeter, MD, MBA, FAAP Chair of Pediatrics, UNR Med Physician-in-Chief, Renown Children's Hospital


1




Renown PICU Contact Info


- ▶ Renown PICU: (775) 982-4911
- ▶ Renown Transfer and Operations Center (RTOC) (775) 982-2227
- ▶ My email: kdeeter@renown.org





























 Eyes Opening Spontaneous - 4 To Pain - 2
 Best Vehol Response Coos, babbles - 5 Initiable cries - 4 Cries to pain - 3 Noars, grunts - 2 No Response - 1
 Best Motor Response Obeys command - 6 Localizes pain - 5 Withdraws from pain - 4 Picton (decorticate) - 2 No response - 1


 Eyes Opening Spontaneous - 4 To Pain - 2 None - 1
 Best Vehol Response Orientated - 5 To Pain - 2 No Response - 1
 Best Motor Response Orientated - 5 To Pain - 2 No Response - 1


 Eyes Opening Spontaneous - 4 To Pain - 2 None - 1
 Best Vehol Response Orientated - 5 To Pain - 2 No Response - 1
 Best Motor Response Obeys command - 6 Localizes pain - 5 No Response - 1


































Disordered Control

6 month old breathing very slowly, lethargic, occasional apnea

28

